
Welcome to the Public Workshop for the Seattle-Tacoma International Airport Part 150 Study



14 CFR Part 150 Overview

- Title 14 Code of Federal Regulations (CFR) Part 150 establishes the process for preparing Noise Exposure Maps (NEMs) and Noise Compatibility Programs (NCPs), together they are referred to as a "Part 150 Study"
- Why conduct a Part 150 Study?
 - Determine existing and future noise conditions in the vicinity of an airport
 - Evaluate the feasibility of possible flight procedure/land use changes
 - Educate communities on the Federal process and what can and cannot be done to address aircraft noise concerns
 - Submit locally-endorsed recommendations to the FAA regarding noise reduction measures
- Part 150 studies are voluntary
- Part 150 studies must adhere to 14 CFR Part 150 requirements



Phases of a Part 150 Study

PHASE I PHASE II NOISE EXPOSURE MAPS (NEM) NOISE COMPATIBILITY PROGRAM (NCP) Define **Key Priorities AVIATION NOISE NOISE ABATEMENT** MODELING **ALTERNATIVES** NEM Project Kickoff Submittal to FAA **INVENTORY** NCP FAA Submittal LAND USE **NOISE** Approval to FAA **ALTERNATIVES COMPATIBILITY PROGRAM** NEM **NOISE EXPOSURE Detailed Study** Acceptance by **ANALYSIS** Design FAA **PROGRAMMATIC ALTERNATIVES**

COMMUNITY AND STAKEHOLDER ENGAGEMENT


Regulation of Airport Noise


- Federal Aviation Administration:
 - Controls aircraft while in flight
 - Responsible for controlling noise at its source (i.e., aircraft engines)
 - Certifies aircraft and pilots
- State and Local Governments:
 - Promote compatible land use through zoning
 - Can require real estate disclosure
 - Can mandate sound-insulating building materials
- Airport Proprietors, the Port of Seattle:
 - Responsible for capital improvement projects and infrastructure
 - Can establish a "noise office", which serves as a bridge between the Airport, FAA, and the community to minimize
 the impact of aircraft noise while ensuring the Airport operates safely and efficiently
 - Very limited authority to adopt local restrictions

FEDERAL LAW TAKES PRECEDENCE OVER STATE AND LOCAL REGULATIONS

Day-Night Average Sound Level (DNL)

- 24-hour time weighted energy average noise level based on A-weighted decibels (dBA)
- Noise occurring between 10 p.m. and 7 a.m. is penalized by 10 dB to account for the higher sensitivity to noise during nighttime hours and the expected decrease in background levels that typically occur at night
- FAA requires the use of DNL for airport noise analyses
- Average Annual Day aircraft noise exposure is calculated over a broad area and then depicted using contour lines of equal noise levels





Noise and Land Use Compatibility

- 14 CFR Part 150 Appendix A, Table 1 provides noise and land use compatibility guidelines
- Considers levels below DNL 65 dB compatible with all land uses
- Allows for the adoption of local land use standards for land use compatibility planning purposes

The Part 150 process is the Airport Sponsor's way to improve the compatibility between the Airport and surrounding communities

LAND USE	Yearly Day-Night Average Sound Level (Ldn) in decibels							
LAND USL	Below 65	65-70	70-75	75-80	80-85	Over 85		
RESIDENTIAL								
Residential, other than mobile homes and transient lodgings	Y	N(1)	N(1)	N	N	N		
Mobile home parks	Y	N	N	N	N	N		
Transient lodgings	Υ	N(1)	N(1)	N(1)	N	N		
PUBLIC USE								
Schools	Υ	N(1)	N(1)	N	N	N		
Hospitals and nursing homes	Y	25	30	N	N	N		
Churches, auditoriums, and concert halls	Y	25	30	N	N	N		
Governmental services	Y	Υ	25	30	N	N		
Transportation	Y	Υ	Y(2)	Y(3)	Y(4)	Y(4)		
Parking	Y	Υ	Y(2)	Y(3)	Y(4)	N		
COMMERCIAL USE								
Offices, business and professional	Y	Υ	25	30	N	N		
Wholesale and retail—building materials, hardware and farm equipment	Y	Υ	Y(2)	Y(3)	Y(4)	N		
Retail trade—general	Y	Υ	25	30	N	N		
Utilities	Y	Υ	Y(2)	Y(3)	Y(4)	N		
Communication	Y	Υ	25	30	N	N		
MANUFACTURING AND PRODUCTION								
Manufacturing, general	Y	Υ	Y(2)	Y(3)	Y(4)	N		
Photographic and optical	Y	Υ	25	30	N	N		
Agriculture (except livestock) and forestry	Y	Y(6)	Y(7)	Y(8)	Y(8)	Y(8)		
Livestock farming and breeding	Y	Y(6)	Y(7)	N	N	N		
Mining and fishing, resource production and extraction	Υ	Υ	Υ	Υ	Υ	Y		
RECREATIONAL								
Outdoor sports arenas and spectator sports	Y	Y(5)	Y(5)	N	N	N		
Outdoor music shells, amphitheaters	Y	N	N N	N	N	N		
Nature exhibits and zoos	Y	Y	N	N	N	N		
Amusements, parks, resorts and camps	Y	Y	Y	N	N	N		
Golf courses, riding stables and water recreation	Y	Y	25	30	N	N		

Numbers in parenthesis refer to notes.

*The designations contained in this table do not constitute a Federal determination that any use of land covered by the program is acceptable or unacceptable under Federal, State, or local law. The responsibility for determining the acceptable and permissible land uses and the relationship between specific properties and specific noise contours rests with the local authorities. FAA determinations under part 150 are not intended to substitute federally determined land uses for those determined to be appropriate by local authorities in response to locally determined needs and values in achieving noise

NOTES

- (1) Where the community determines that residential or school uses must be allowed, measures to achieve outdoor to indoor Noise Level Reduction (NLR) of at least 25 dB and 30 dB should be incorporated into building codes and be considered in individual approvals. Normal residential construction can be expected to provide a NLR of 20 dB, thus, the reduction requirements are often stated as 5, 10 or 15 dB over standard construction and normally assume mechanical ventilation and closed windows year round. However, the use of NLR criteria will not eliminate outdoor noise problems.
- (2) Measures to achieve NLR 25 dB must be incorporated into the design and construction of portions of these buildings where the public is received, office areas, noise sensitive areas or where the normal noise level is low.
- (3) Measures to achieve NLR of 30 dB must be incorporated into the design and construction of portions of these buildings where the public is received, office areas, noise sensitive areas or where the normal noise level is low.
- (4) Measures to achieve NLR 35 dB must be incorporated into the design and construction of portions of these buildings where the public is received, office areas, noise sensitive areas or where the normal level is low.
- (5) Land use compatible provided special sound reinforcement systems are installed.
- (6) Residential buildings require an NLR of 25(7) Residential buildings require an NLR of 30
- (8) Residential buildings not permitted

KEY TO TABLE

SLUCM Standard Land Use Coding Manual.

Y (Yes) Land Use and related structures
compatible without restrictions.

N (No) Land Use and related structures are not compatible and should be prohibited.

the structure.

Noise Level Reduction (outdoor to indoor) to be achieved through incorporation of noise attenuation into the design and construction of

25, 30, or 35 Land use and related structures generally compatible; measures to achieve NLR of 25, 30, or 35 dB must be incorporated into design and construction of structure.

Model Inputs

- The amount of noise exposure is determined by:
 - Aircraft types
 - Stage length (distance to destination)
 - Number of average annual day operations
 - Nighttime weighting (1 nighttime operation = 10 daytime operations)
- The noise exposure distribution is determined by:
 - Runway configuration and use
 - Flight track locations
 - Flight track use
- Other factors
 - Meteorological conditions
 - Terrain



Aviation Environmental Design Tool (AEDT) Version 3f

2022 and 2032 Modeled Aircraft Operations and Time of Day

Estimated Annual Aircraft Operations

Aircraft Category	2022	2032
Passenger Jet	338,950	455,153
Passenger Turboprop	45,201	0
Cargo Jet	12,470	15,655
Cargo Turboprop	2,381	3,301
General Aviation	2,295	1,445
Military	55	100
Total	401,351	475,655

Source: Landrum & Brown analysis, 2024, adapted by ESA, 2025

Note: Totals may not match due to rounding.

Estimated Annual Aircraft Operations by Time of Day (All Aircraft)

Ctudy Voor	Arri	vals	Depa	Departures		
Study Year	Day	Night	Day	Night		
2022	85.1%	14.9%	83.0%	17.0%		
2032	83.3%	16.7%	84.5%	15.5%		

Source: Landrum & Brown analysis, 2024, adapted by ESA, 2025

Departure Stage Length

Stage Length Comparison for Boeing 737-800



Source: AEDT; ESA, 2025

AEDT Departure Stage Length Categories

Stage Length	Trip Length (nmi)
1	0 – 500
2	500 - 1,000
3	1,000 - 1,500
4	1,500 - 2,500
5	2,500 — 3,500
6	3,500 – 4,500
7	4,500 - 5,500
8	5,500 - 6,500
9	6,500 - 11,000
M	Maximum Range

Source: AEDT


Estimated Departure Stage Length (All Aircraft)

Study	Stage Length Category										
Year	1	2	3	4	5	6	7	8	9	M	
2022	27.0%	34.6%	13.3%	21.6%	0.2%	2.0%	1.0%	0.0%	0.2%	0.0%	
2032	21.8%	38.0%	14.2%	19.5%	0.0%	2.9%	3.6%	0.0%	0.0%	0.0%	


Source: AEDT, Landrum & Brown analysis, 2024, adapted by ESA, 2025

Radar Flight Tracks

North Flow Operations Sample (August 20-26, 2025)



South Flow Operations Sample (February 17-23, 2025)




2022 Existing Conditions Runway Utilization


Arrival Use Intensity

Departure Use Intensity

Flow Direction

rth Flow







2032 Future Conditions Runway Utilization

Arrival Use Intensity

Departure Use Intensity


North Flow South Flow






AEDT Flight Tracks







South Flow




Radar Flight Tracks – Aircraft Density



South Flow




North Flow Sample Altitudes (August 20-26, 2025)






South Flow Sample Altitudes (February 17-23, 2025)




DNL 65, 70, and 75 Noise Contours

2022 Existing Conditions



2032 Future Conditions





Noise Exposure Within 2022 DNL Contours

Land Uses Exposed to DNL 65 and Higher

Land Use Category ^a	Land Uses	s Exposed to D	NL 65 and High	er (acres)	Housing Units b, c	Population ^{b, c}
	DNL 65-70	DNL 70-75	DNL 75+	Total	riousing Omics	Population '
Commercial	273.4	79.4	0.0	352.8	0	0
Industrial / Manufacturing	23.1	1.7	0.0	24.8	0	0
Parks, Recreation, and/or Open Space	211.7	44.8	0.0	217.8	0	0
Public Facilities and/or Institutions	187.4	0.9	0.0	188.3	0	0
Residential - Mixed-Use	2.9	0.0	0.0	2.9	1	2
Residential - Mobile Home	32.8	2.4	0.0	35.2	159	451
Residential - Multi-Family	106.2	0.7	0.0	106.8	2,829	7,027
Residential - Single Family	993.8	34.1	0.0	1,027.9	3,926	10,930
SEA Airport Property	815.2	991.9	788.2	2,595.3	0	0
Transportation and/or Utilities	124.5	24.1	0.4	149.1	0	0
Unclassified	6.3	2.3	0.0	47.4	0	0
Vacant	85.6	39.5	0.1	125.2	0	0
Other	599.0	148.6	4.1	751.7	0	0
Total	3,461.9	1,370.3	792.9	5,625.0	6,915	18,410

Sources: SAMP NTP EA, Washington State Geospatial Portal, King County GIS Center, U.S. Census Bureau.

a. Land Use Categories derived from King County parcel data with land use information.

b. Housing units and population estimates derived from 2020 Census block level data and American Community Survey 5-year Estimates Detailed Tables 2023.

c. Since development of the contours for the SAMP NTP EA, some single- and multi-family residential parcels have transitioned to vacant status or converted to commercial use. There has also been new construction in this area, including both single-family and multi-family residential developments.

d. "Other" category includes surface area associated with road rights-of-way, water bodies, and any otherwise undevelopable land not reflected in King County Assessor parcel data.

Noise Exposure Within 2022 DNL Contours

Noise Sensitive Sites Exposed to DNL 65 and Higher

DNL Range	Total Area (Acres)	Housing Units ^a	Population ^a	Religious b	Schools b	Hospitals b	Historic Resources ^c	Libraries ^b	Nursing Homes ^b
65-70	3,461.9	6,786	18,061	20	9	2	0	2	29
70-75	1,370.3	129	349	0	0	0	0	0	1
75+	792.9	0	0	0	0	0	0	0	0
Total	5,625.0	6,915	18,410	20	9	2	0	2	30

Sources: SAMP NTP EA; Washington State Geospatial Portal; King County GIS Center, U.S. Census Bureau.

Housing Units and Population Not Previously Insulated

DNL Range	Housing Units	Population
65-70	3,251	8,411
70-75	27	72
75+	0	0
Total	3,278	8,483

Source: 2020 US Census Bureau and ACS 5-year Estimates Detailed Tables 2023; SEA Sound Insulation Program housing unit data from the Port of Seattle.

Note: There have been additional homes insulated since the SAMP EA analysis; this table reflects the most current data.

a. Housing units and population estimates derived from 2020 Census block level data and ACS 5-year Estimates Detailed Tables 2023.

Noise sensitive site data obtained from King County GIS Center.

c. Information published by the National Park Service regarding the National Register of Historic Places (NRHP) was referenced.

Noise Exposure Within 2032 DNL Contours

Land Uses Exposed to DNL 65 and Higher

Land Use Category ^a	Land Uses	Land Uses Exposed to DNL 65 and Higher (acres)				Population ^{b, c}
	DNL 65-70	DNL 70-75	DNL 75+	Total	Housing Units b, c	Population '
Commercial	286.1	105.1	0.0	391.3	0	0
Industrial / Manufacturing	31.4	1.7	0.0	33.2	0	0
Parks, Recreation, and/or Open Space	291.8	53.4	0.0	306.4	0	0
Public Facilities and/or Institutions	255.1	3.5	0.0	258.7	0	0
Residential - Mixed-Use	2.9	0.0	0.0	2.9	1	2
Residential - Mobile Home	40.1	6.1	0.0	46.2	186	530
Residential - Multi-Family	204.7	1.0	0.0	205.6	4,427	10,983
Residential - Single Family	1,286.4	131.8	0.0	1,418.1	5,327	14,786
SEA Airport Property	722.8	970.0	932.1	2,624.9	0	0
Transportation and/or Utilities	131.5	32.6	0.6	164.7	0	0
Unclassified	12.8	3.1	0.0	54.7	0	0
Vacant	105.3	47.4	0.1	152.8	0	0
Other	682.9	212.4	5.4	900.6	0	0
Total	4,053.8	1,568.1	938.2	6,560.2	9,941	26,302

Sources: SAMP NTP EA, Washington State Geospatial Portal, King County GIS Center, U.S. Census Bureau.

a. Land Use Categories derived from King County parcel data with land use information.

d. "Other" category includes surface area associated with road rights-of-way, water bodies, and any otherwise undevelopable land not reflected in King County Assessor parcel data.



b. Housing units and population estimates derived from 2020 Census block level data and American Community Survey 5-year Estimates Detailed Tables 2023.

c. Since development of the contours for the SAMP NTP EA, some single- and multi-family residential developments.

Noise Exposure Within 2032 DNL Contours

Noise Sensitive Sites Exposed to DNL 65 and Higher

DNL Range	Total Area (Acres)	Housing Units ^a	Population ^a	Religious b	Schools b	Hospitals b	Historic Resources ^c	Libraries ^b	Nursing Homes ^b
65-70	4,053.8	9,315	24,624	23	12	2	0	2	42
70-75	1,568.1	626	1,678	0	0	0	0	0	3
75+	938.2	0	0	0	0	0	0	0	0
Total	6,560.2	9,941	26,302	23	12	2	0	2	45

Sources: SAMP NTP EA; Washington State Geospatial Portal; King County GIS Center, U.S. Census Bureau.

Housing Units and Population Not Previously Insulated

DNL Range	Housing Units	Population
65-70	5,092	12,933
70-75	138	411
75+	0	0
Total	5,230	13,344

Source: 2020 US Census Bureau and ACS 5-year Estimates Detailed Tables 2023; SEA Sound Insulation Program housing unit data from the Port of Seattle.


Note: There have been additional homes insulated since the SAMP EA analysis; this table reflects the most current data.

a. Housing units and population estimates derived from 2020 Census block level data and ACS 5-year Estimates Detailed Tables 2023.

Noise sensitive site data obtained from King County GIS Center.

c. Information published by the National Park Service regarding the National Register of Historic Places (NRHP) was referenced.

2022 and 2032 Noise Contours



Comparison of 2022 and 2032 Noise Exposure

Change in Land Use Exposure – 2022 to 2032

Lond Hoo Cotogowy a		Net Change in Ac	reage by Land Use	
Land Use Category ^a	DNL 65-70	DNL 70-75	DNL 75+	Total
Commercial	12.8	25.7	0.0	38.5
Industrial / Manufacturing	8.3	0.1	0.0	8.4
Parks, Recreation, and/or Open Space	80.1	8.6	0.0	88.7
Public Facilities and/or Institutions	67.8	2.6	0.0	70.4
Residential - Mixed-Use	0.0	0.0	0.0	0.0
Residential - Mobile Home	7.3	3.7	0.0	11.0
Residential - Multi-Family	98.5	0.3	0.0	98.8
Residential - Single Family	292.5	97.6	0.0	390.2
SEA Airport Property	-92.4	-21.9	143.9	29.6
Transportation and/or Utilities	7.0	8.4	0.2	15.6
Unclassified	6.5	0.9	0.0	7.3
Vacant Land	19.7	7.9	0.0	27.7
Other ^C	83.9	63.8	1.3	148.9

Sources: SAMP NTP EA, Washington State Geospatial Portal, King County GIS Center, U.S. Census Bureau.

NOTES:

Change in Noise Sensitive Sites Exposed to DNL 65 and Higher – 2022 to 2032

DNL Range	Total Area (Acres)	Housing Units ^a	Population ^a	Religious b	Schools b	Hospitals ^b	Historic Resources ^c	Libraries ^b	Nursing Homes ^b
65-70	592.0	2,529	6,563	3	3	0	0	0	13
70-75	197.8	497	1,329	0	0	0	0	0	2
75+	145.3	0	0	0	0	0	0	0	0
Total	935.1	3,026	7,892	3	3	0	0	0	15

Sources: SAMP NTP EA, Washington State Geospatial Portal, King County GIS Center, U.S. Census Bureau. NOTES:

b. Noise sensitive site data obtained from King County GIS Center.



Land Use Categories derived from King County parcel data with land use information.
 Housing units and population estimates derived from 2020 Census block level data and ACS 5-year Estimates Detailed Tables 2023.

c. "Other" category includes surface area associated with road rights-of-way, water bodies, and any otherwise undevelopable land not reflected in King County Assessor parcel data.

[.] Housing units and population estimates derived from 2020 Census block level data and ACS 5-year Estimates Detailed Tables 2023.


Required Elements of a Noise Compatibility Program (NCP)

- Noise Compatibility Programs:
 - Identify noise abatement, land use, and programmatic strategies to reduce aircraft noise impacts on surrounding communities
 - Proposes measures to improve compatibility between airport operations and noncompatible land uses based on the NEMs
- The FAA reviews the entire NCP for technical accuracy, policy alignment, and effectiveness of proposed measures
- The NCP must include a provision for future revisions, including NEM updates
- The FAA issues a determination for each proposed measure: approved, disapproved, approved or disapproved in part, or no action (for NCP measures involving flight procedures)

- All NCP Measures Must Consider:
 - Reduction of existing incompatible land use and prevention / reduction of future incompatible land use
 - The FAA will not approve NCP measures that do not reduce exposure to noise of DNL 65 and higher
 - Safety and efficiency
 - Consistency with the powers and duties of the FAA
 - Avoidance of unjust discrimination against certain aircraft types
 - Interstate commerce
 - Measures cannot impose an undue burden on interstate commerce (requires balancing of interests)
 - The ability to meet both local needs and national air transportation system needs
- Per FAA policy, aircraft noise cannot be redirected from one community to another



Noise Abatement vs. Noise Mitigation




Example NCP Measures



Noise Abatement

- Noise abatement flight tracks
- Preferential runway use
- Arrival/departure procedures
- Airport layout modifications
- Use restrictions*
- Voluntary noise abatement agreements
- Other actions proposed by stakeholders

*Subject to further notice, review, and approval requirements in 14 CFR Part 161



Land Use

- Remedial Mitigation
- Land acquisition
- Sound insulation
- Avigation easements
- Preventative Mitigation
- Zoning and overlay zoning
- Building codes
- Comprehensive plans
- Real estate disclosures
- Other actions proposed by stakeholders



Program Management

- Implementation tools
- Promotion, education, signage, etc.
- Monitoring
- Reporting
- Upgrading permanent noise monitoring terminals
- NCP revision
- Other actions proposed by stakeholders

Project Schedule

- Noise Exposure Maps (NEMs)
 - Data Collection
 - Noise Modeling
 - NEM Public Workshops
 - NEM Report
- Noise Compatibility Program (NCP)
 - NCP Recommendations Screening
 - NCP Analysis
 - NCP Report & Public Workshop/Hearing
 - FAA 180 Day Review/Record of Approval (ROA)

Completed

Completed

Fall 2025

Fall 2025/Winter 2026

Spring 2026

Spring/Summer 2026

Fall 2026/Winter 2027

2027

SEA Sound Insulation Programs



Current Sound Insulation Programs

- The current sound insulation programs are funded by SEA Airport revenues (20%) and FAA grant funds (80%)
- Since the start of the program in 1985, the Port has insulated:
 - Over 9,400 single-family homes
 - 7 condominium complexes (321 individual units)
 - 11 of 15 identified Highline schools
 - 14 buildings on Highline College campus
 - Apartment and Places of Worship construction starting in 2025
- Within the current Noise Remedy Boundary and meet additional eligibility requirements
- SoundInsulation@portseattle.org

Repair and Replacement Pilot Program

- Completed an Assessment in early 2025 that included:
 - Outreach to, and collection of, information from residents via a comprehensive survey
 - Acoustic testing and a field assessment of a sampling of homes
 - Summary of the results in a Technical Report to help inform decision-making for the Pilot Program
- Pilot Program Eligibility:
 - Home must be located within current Noise
 Remedy Boundary and insulated prior to January
 1, 1993
 - Acoustically test at, or greater than, FAA's 45 dBA
 DNL interior noise threshold
 - Currently waiting on full acoustic testing results of approximately 120 homes prior to next steps
- SEARepairReplacePilot@portseattle.org



How to Provide Comments:

You may provide written comments during this public workshop. Comment forms are available at this meeting to submit here, email P150@portseattle.org, or by mail to:

> Port of Seattle Aviation Noise Programs C/O SEA Part 150 Study 17801 International Blvd, #6012M Seattle, WA 98158-12025

Thank You for Your Participation!